



Head - AV

HEAD 00 00 TH AV X, -Y, -Z

Neck Cable - FO

NECK FR 00 TH FO Z
NECK RE 00 TH FO Z

Clavicle Inner - FO

CLAV RI IN TH FO X, -Z

Clavicle Outer - FO

CLAV RI OU TH FO X, -Z

Chest Upper - DS

CHST RI UP TH DC 0
CHST RI UP TH VO 0
CHST RI UP TH AN Y, -Z
CHST LE UP TH DC 0
CHST LE UP TH VO 0
CHST LE UP TH AN Y, -Z

Chest Lower - DS

CHST RI LO TH DC 0
CHST RI LO TH VO 0
CHST RI LO TH AN Y, -Z
CHST LE LO TH DC 0
CHST LE LO TH VO 0
CHST LE LO TH AN Y, -Z

Head - AC

HEAD 00 00 TH AC X, -Y, -Z

Neck Upper - FO/MO

NECK UP 00 TH FO X, -Y, -Z
NECK UP 00 TH MO X, -Y, -Z

Neck Lower - FO/MO

NECK LO 00 TH FO X, -Y, -Z
NECK LO 00 TH MO X, -Y, -Z

Clavicle Inner - FO

CLAV LE IN TH FO X, -Z

Clavicle Outer - FO

CLAV LE OU TH FO X, -Z

Abdomen - DS

ABDO RI 00 TH DC 0
ABDO RI 00 TH VO 0
ABDO RI 00 TH AN Y, -Z
ABDO LE 00 TH DC 0
ABDO LE 00 TH VO 0
ABDO LE 00 TH AN Y, -Z

Note

The MTRAC devices fitted to this dummy record a voltage. It is more normal to exchange the distance channel, MTRAC total length, eg CHST RI UP TH DC 0. If it is only possible to supply a change in length, the displacement code should be used, eg CHST RI UP TH DS 0







